



# China's TMSR programme

Hongjie Xu

October 15, 2015, in ORNL



中国科学院上海应用物理研究所

Shanghai Institute of Applied Physics, Chinese Academy of Sciences

# Outline

**Program Overview**

**International collaboration**

**Research Progress**





# Outline

## Program Overview



International collaboration

Research Progress


# Thorium Molten Salt Reactor Energy System - TMSR

-  The aim of TMSR is to develop Th-Energy, Non-electric application of nuclear energy based on TMSR-LF and TMSR-SF in next 20-30 years.
-  The program initiated by CAS in 2011
-  TMSR-LF 液态燃料钍基熔盐堆 --- MSR<sub>s</sub>
-  TMSR-RF 固态燃料钍基熔盐堆 --- FHR<sub>s</sub>


## FHRs May Be Considered as Precursors to MSR


-  MSR development requires all of the technologies required by an FHR (such as materials, pumps, heat exchangers, salt chemistry and purification, and power conversion) except for coated particle fuel.
-  FHR deployment does not require some of the MSR longer-term development activities (such as reprocessing of highly radioactive fuel salts). FHRs can be deployed much earlier than MSRs.

# Reactors and Applications



# TMSR Road Map







# Outline

Program Overview

**International collaboration**

Research Progress

# TMSR International Cooperation

- Th Utilization, Reactor Tech.
- Material, Molten Salt Tech,
- Pyro-processing
- Nuclear Safety Standards



## Organizational Overview

The Chinese Academy of Sciences (CAS) and U.S. Department of Energy (DOE)  
Nuclear Energy Cooperation Memorandum of Understanding (MOU)



### MOU Executive Committee Co-Chairs

China – Mianheng Jiang (CAS)  
U.S. – Pete Lyons (DOE)



Australia



Nuclear-based science benefiting all Australians

## Future

- Russia
- EU
- Korea
- Japan

FHR technology  
Pyro-processing


FHR Safety Standards  
ANSI/ANS-20.1

US DOE Labs

High-tem. Material  
ASME


US Industry

Professional Society



US Universities

## The Chinese Academy of Sciences (CAS) and U.S. Department of Energy (DOE) Nuclear Energy Cooperation Memorandum of Understanding (MOU)



**CRADA between TMSR and ORNL signed in July 2014**



## TMSR-MIT Agreement (Signed in March 2015)

- Commercialization Basis for High-Temperature Reactors
- Tritium Control and Coolant Salt Cleanup
- FHR Test Reactor Design and Safety analysis
- Flibe Salt and Materials In-Pile Irradiations
- MSR material simulation



**UCB is part of the SINAP-ORNL CRADA.**


# Outline

Program Overview

International collaboration

**Research Progress**

# Prototype Systems and Key Techs @ TMSR



Established a comprehensive Th fuel utilization strategy in MSR by evaluating the Th-U fuel cycle performances; based on the above strategy, created an innovative reprocessing flow sheet and demonstrated it in cold, lab-scale facilities.

Th-U fuel cycle prototype system

Fuel cycle mode

Flow Sheet design

Processes consistency

Comprehensive Th utilization strategy in MSRs



U5-U3 transition in MSRs  
MA transmutation in MSRs

Innovative flow sheet combines on-line and off-line processing

On-line for U and carrier salt  
Off-line for Th and MA

Consistency of on-line reprocessing in cold, lab-scale

Recovery rate of U > 95%  
Recovery rate of carrier salt > 90%






## R&D of design tools & methods, key technology & equipment, and related experimental verifications for TMSR-SF1. Preliminary design of 10MW solid fuel molten salt test reactor (TMSR-SF1)

### Reactor Physics

- Development of design and analysis tools and methods, validation and verification;
- Nuclear data evaluation, H-T data measurement and evaluation;
- Reactor core modeling and experimental study.

### Reactor Design

Concept design  
↓  
Preliminary design  
↓  
Engineering design



### contents

Reactor core;  
Reactivity control;  
Fuel management;  
Inner structure;  
Main vessel;  
Instrumentation;  
Reactor control and protection

### Reactor Engineering

- Reactor mechanics under high-T molten salt condition: vessel, inner structure, support, seal etc....
- Key equipment, from principle experiment to prototype:
  - Control rod system;
  - Fueling and defueling;
  - In core neutron measurements;
  - Digital reactor protector and DCS




Developed the key equipments such as high-temperature molten-salt pump, heat exchanger, pressure gage, etc.  
 Constructed the high-temperature molten-salt experimental system.


- Developed design method and key technology for high-temperature molten-salt loop, including high temperature seal, measurement and control, et.al.
- Completed the set of prototypes for pump, valve, heat exchanger prototypes for fluoride system, et.al.
- Constructed the high-temperature molten-salt experimental system and gained the operation experience and important thermal hydraulics data.




High-temperature fluoride salt experimental loop



Prototypes of key equipment



Hydraulic test of molten salt pump



Thermal hydraulic & mechanical test of loop

Developed safety analysis methods, developed safety design criteria for TMSR-SF1, participating in the development of *General Design Criteria* for FHR (ANSI/ANS-20.1), complete a salt natural circulation test loop for safety code validation


- **Scientific design/assessment criteria:** Seismic design criteria & Reactor classification as Class II
- **International safety standards :** development of ANSI/ANS-20.1
- **Reliable safety analysis:** Improve and verify accident analysis codes for molten salt, condition categories & SSC Classification
- **Specific safety V&V :** complete a salt natural circulation test loop for safety code validation

基于安全分类的研究选址和抗震设计标准研讨会会议纪要

2014年8月24日，国家核安全局在京召开核研究堆安全分类的... (text continues)


杜基核盐实验堆分类研讨会专家意见

2014年8月20日，中科院核基核盐系统研究中心（TMSR中心）在上海组织专家召开了杜基核盐实验堆分类研讨会... (text continues)



## Succeed in obtaining nuclear grade thorium and high abundance Li-7 using extraction technology

- High abundance Li-7:** As a green technology, centrifugal extraction method was developed instead of mercury method to obtain Li-7. Counter current extraction experiment was achieved and 99.99% Li-7 was obtained for the first time. High efficient extractants were synthesized.
- Nuclear grade thorium:** High efficient extraction system was developed for the separation and preparation of the nuclear grade thorium. The 99.999% purity thorium was obtained in batches.



Natural  
Lithium

Li-7  
( 92.5% )

Li-6  
( 7.5% )

- PWR pH control ( abundance  $\geq 99.9\%$  )**
- MSR coolant ( abundance  $\geq 99.99\%$  )**

WO2014/067278A1

WO2014/201890A1 ,

CN104140379A , CN104147929A

ZL 2011 1 0074345.8 , ZL 2012 1

0552752.X , ZL 2012 1 0453853.1 ,

201210552752.X



Master the technology for high purity FLiNaK preparation, characterization, purification and batch production. Master the technology of the synthesis of FLiBe and beryllium control method. Established FLiBe-Th-U fuel salts thermodynamics database.

- ❑ Nuclear grade FLiBe (with boron equivalent < 2ppm) synthesis technology
- ❑ High purity FLiNaK (with total oxygen < 100ppm) purification technology
- ❑ High purity FLiNaK batch production (10ton/y)
- ❑ Ability for the physical properties determination and evaluation for fluoride molten salt
- ❑ Established a FLiBe-Th-U fuel salts thermodynamic database



Molten salt




Prototype for molten salt production (10ton/y)



FLiBe



Physical properties determination lab



15 Chinese patents

## Mastering key technologies for the smelting, processing, and welding of a Nickel-based superalloy ( UNS N10003, GB standards GH3535 )

### GH3535 : A nickel-based alloy with an outstanding corrosion resistance in molten salts

- Technologies for smelting (6 tons), processing & welding; performance comparable to Hastelloy N
- Deformation processing technologies for nickel-based alloys with high Mo, the largest UNS N10003 seamless pipes.



hot extrusion



pipe processing



Welding



Component ( head )

Capability	China	US Haynes
------------	-------	-----------

Pipe Diameter	141.3mm	<88.9mm
---------------	---------	---------

seamless alloy pipes for the primary loop of MSR




Performance Test Report

Chinese Patent  
CN103966476  
A (under review)

**Development of the ultrafine grain nuclear graphite for MSR, deeply involved in the establishment of ASME code of MSR nuclear graphite**

## Nuclear graphite : moderator/reflector

- Industrial production technologies of Chinese ultrafine-grain nuclear graphite **NG-CT-50**
- Pore diameter <math>< 1\mu\text{m}</math>, ensured better infiltration resistance than existed nuclear graphite
- Establishing database of its performance & deep involvement in Intl. Std. for MSR nuclear graphite




**Graphite Core**



**Ultrafine grain Nuclear Graphite**

Parameters	NG-CT-50 (China)	IG110 (Japan)
Pore Dia. ( $\mu\text{m}$ )	0.74	2
B Equiv. Cont. (ppm)	<math>< 0.05</math>	0.1

**Comparison between different nuclear graphite**



**Molten Salt Infiltration in nuclear graphite**



August 21, 2014

Zeng Guang Li  
SINAP  
2019 Jialuo Road  
Jiading District, Shanghai 37831  
People's Republic of China

Dear Dr. Zeng,

The ASME BPV III Subgroup on Graphite Core Components intends to consider the improvement of the provisions for fine-grain graphite in ASME BPV Section III, Division 5. As a research organization prominent in the field of nuclear graphite material, the Shanghai Institute of Applied Physics (SINAP) is positioned to assist the Subgroup in this endeavor.


**Provision for ASME code**

## Solving the Corrosion Issue of Structural Material by Developing Corrosion Control Technologies (Design Optimization, Salt Purification and Surface Modification),

### Developing Corrosion Control Technology






#### Investigating Corrosion Mechanism

- Salt impurities;
- Elements diffusion;
- Mass transfer;



- Design Optimization : Optimize the composition of alloy, degrade diffusion of Cr;
- Salt Purification: Modify purification technology, control the impurities content;
- Surface modification: FTD coating, improve the corrosion resistance;

### Solving the corrosion control in fluoride salt ( GH3535 static corrosion rate $< 2\mu\text{m}/\text{y}$ ) !



Composition Optimization of Alloy (Cr)

Corrosion Depth (um/y)



**Full verification of fluorination and distillation based on fluorides salt with simulated material, and taking the lead in developing fluorides electrochemical separation process.**

■ **Fluorination for U recovery**

- Verification of process at cold condition equipped with in-situ monitoring;
- Creation of frozen-wall tech dedicated to solving the corrosion problem derived from high temperature,  $F_2$  and liquid fluorides melt.

■ **Distillation for carrier salt purification**


- Creation of a controllable and continuous distillation device, the distillation rate is about 6 kg/h, and the DF is  $>10^2$  for most neutron poison FP.

■ **Fluorides electrochemical separation for U recovery**

- Electro-deposition of U metal from  $FlBe-UF_4$  melt for the first time, and the U recovery is  $>92\%$



**Fluorination experimental set-up**



**Frozen-wall tech. experimental set-up**









**Distillation experimental set-up**




**Electrochemical experimental set-up**

**Master the key technologies of tritium control in the molten salt reactor such as tritium extraction with bubbling, tritium separation with cryogenics, on-line tritium monitoring and so on .**

Tritium extraction with bubbling	Tritium separation with cryogenics	Tritium alloy-storage	Tritium sampling	On-line tritium monitoring	
Bubble-size control, Degassing efficiency >95%	Concentration of Kr\Xe < 1ppb, H <sub>2</sub> < 1ppm in the exhaust gases	Zr <sub>2</sub> Fe alloy (Hydrogen partial pressure ratio <0.1ppm )	Sampling HTO, HT and CH <sub>3</sub> T simultaneously ; Collecting efficiency >95%	On line monitoring of HTO, HT and Kr, Xe, simultaneously	
					

**10 patent applications :** CN202471554U , CN203465122U , CN203350089U , CN203465125U , CN104771937A , CN104772055A , CN104678047A , CN102608001A , 201510500470.9 , 201510500762.2 ,

# Fundamental research base in Jiading



**Super Computer**



**Hot Cell**



**Material test Labs**



**Molten salt measure Labs**




**$\beta$  Irradiation Facility**



# TMSR Reactor Site

Shanghai and Jiangsu support, MEP NNSA agrees in principle







**Thank you**



**for your  
Attention!**